



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov



Bib Data Sheet

CONFIRMATION NO. 8099

| | | | | |
|-----------------------------|---------------------------------------|--------------|------------------------|-------------------------------------|
| SERIAL NUMBER 10/672,159 | FILING DATE 09/26/2003 RULE | CLASS 313 | GROUP ART UNIT 2879 | ATTORNEY DOCKET NO. 98-1-361DIV1 |
|-----------------------------|---------------------------------------|--------------|------------------------|-------------------------------------|

APPLICANTS

Ernest A. Davey JR., Hampton Falls, NH;

** CONTINUING DATA *****

This application is a DIV of 09/963,762 09/26/2001 PAT 6,669,521

** FOREIGN APPLICATIONS *****

IF REQUIRED, FOREIGN FILING LICENSE GRANTED

** 12/17/2003

| | | | | |
|---|----------|---------|--------|-------------|
| Foreign Priority claimed <input type="checkbox"/> yes <input checked="" type="checkbox"/> no | STATE OR | SHEETS | TOTAL | INDEPENDENT |
| 35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance | COUNTRY | DRAWING | CLAIMS | CLAIMS |
| Verified and Acknowledged Examiner's Signature <i>[Signature]</i> Initials <i>AW</i> | NH | 2 | 2 | 1 |

ADDRESS

24252
 OSRAM SYLVANIA INC
 100 ENDICOTT STREET
 DANVERS, MA
 01923

TITLE

Method of removing contaminants from a double-ended arc discharge tube

| | | |
|-----------------------------------|---|---|
| FILING FEE RECEIVED 750 | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following: | <input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit |
|-----------------------------------|---|---|